

"rb bertomeu" Products PRICE LIST

Please ask for a price quotation for large orders.

Additives for Diesel oil (Dose : 0,5 - 1 liter of additive each 2,000 liters of diesel oil)

PRODUCTS	APPLICATIONS and PRODUCT ACTIONS	CONTAINER TYPE		
		Can 1 L	Drum 50 L	Drum 200 L

Additives for Diesel oil "beco" Series

The range of additives "rb bertomeu", "beco" series is composed by combustible products with a Flash Point lower than 61° C . Due to this all these products are classified as "FLAMMABLES" in the ADR and IMDG transport regulations.

beco DA	For Automotive engines -Saves fuel. Reduces breakdowns and maintains the performance qualities of the engine at maximum level. -Decants the water. Reduces pollution.	Prices depend on quantities ordered (consult)		
beco DC	For Co-generation, Marine and Machinery engines -Saves fuel. Reduces breakdowns. Reduces corrosions and encrustations in exhaust valves and turbochargers. -Decants the water. Reduces pollution.	Prices depend on quantities ordered (consult)		
beco BF	For Boilers and Furnaces -Saves fuel. Reduces corrosions and encrustations in heat exchangers. Reduces pollution. -Keeps the pipes clean and optimizes the energy Efficiency of the boiler. Avoids carbon build up in burners.	Prices depend on quantities ordered (consult)		

Additives for Diesel oil "beco-Ship" Series

The range of additives "rb bertomeu", "beco-ship" series is composed by combustible products with a Flash Point higher than 75° C. Due to this, all these products are not classified as "FLAMMABLES" in the regulations IMDG nor ADR since they not belongs to the groups F1 nor F2 of flammable materials :

(Grup F1 : Flash point \leq 61° C - For products transported at ambient temperature)

(Grup F2 : Flash point $>$ 61° C - For products transported heated to avoid solidification)

This characteristic (not classified as "Flammable") , permits the transport , storage , handling and use of products , in any closed or open areas where exist a rule or regulation prohibiting the presence of flammable materials.

beco DC-Ship	For Marine Diesel engines Anticorrosion effect in valves and turbos reinforced. -Saves fuel. Reduces breakdowns. Reduces corrosions and encrustations in exhaust valves and turbochargers. -Decants the water. Reduces pollution.	Prices depend on quantities ordered (consult)		
---------------------	--	---	--	--

Antifreeze for Diesel oil "bewax" Series

They are depressants of the Cold Filter Obstruction Point (CFOP) , due to the paraffins contained in the diesel oil.

Dose according diesel oil type : Summer / Winter / Heating . See Table in the technical Data Sheet

bewax OB	Antifreeze for all types of Diesel oil . Reduces the temperature of obstruction of the fuel filter , depending on the dose and type of diesel oil available.	Prices depend on quantities ordered (consult)		
-----------------	---	---	--	--

"rb bertomeu" Products PRICE LIST

Please ask for a price quotation for large orders.

Aditivos para Fuel-oil

(Dosis : 0,25 - 0,5 litros de aditivo por Tm de fuel-oil)

PRODUCTS	APPLICATIONS and PRODUCT ACTIONS	CONTAINER TYPE		
		Can 1 L	Drum 50 L	Drum 200 L

Additives for heavy Fuel oil "beco" Series

The range of additives "rb bertomeu", "beco" series is composed by combustible products with a Flash Point lower than 61° C . Due to this all these products are classified as "FLAMMABLES" in the ADR and IMDG transport regulations.

beco F1/ASF	<p>For Diesel engines</p> <ul style="list-style-type: none"> - Saves fuel. - Decants the water. Reduces sludge and opening frequency of the fuel oil purifiers. Reduces corrosions and encrustations in valves, turbochargers and exhaust gases circuit. - Keeps clean the pipes of associate boilers and optimizes its Efficiency. - Improves the combustion. Reduces unburned fuel emissions. 	Prices depend on quantities ordered (consult)		
beco F2/A	<p>For Boilers and Furnaces</p> <ul style="list-style-type: none"> - Saves fuel. - Reduces sludges and keeps clean filters and fuel circuit. - Avoids carbon build up in burners. Reduces corrosions and encrustations in chambers and exchangers of boilers. - Keeps clean the pipes of boilers and optimizes the energy Efficiency of the boiler. - Improves the combustion. Reduces unburned fuel emissions. 	Prices depend on quantities ordered (consult)		

Additives for heavy Fuel oil "beco-ship" Series

The range of additives "rb bertomeu", "beco-ship" series is composed by combustible products with a Flash Point higher than 75° C. Due to this, all these products are not classified as "FLAMMABLES" in the regulations IMDG nor ADR since they not belongs to the grups F1 nor F2 of flammable materials :

(Grupo F1 : T^a inflamación <= 61° C , VC - Para materias transportadas a t^a ambiente)

(Grupo F2 : T^a inflamación <= 61° C , VC - Para materias transportadas en caliente)

This characteristic (not classified as "Flammable") , permits the transport , storage , handling and use of products , in any closed or open areas where exist a rule or regulation prohibiting the presence of flammable materials.

beco F1-Ship	<p>For Marine Diesel engines</p> <ul style="list-style-type: none"> - Saves fuel. - Decants the water. Reduces sludge and opening frequency of the fuel oil purifiers. Reduces corrosions and encrustations in valves, turbochargers and exhaust gases circuit. - Keeps clean the pipes of associate boilers and optimizes its Efficiency. - Improves the combustion. Reduces unburned fuel emissions. 	Prices depend on quantities ordered (consult)		
---------------------	---	---	--	--

"rb bertomeu" Products PRICE LIST

Please ask for a price quotation for large orders.

Maintenance and Cleaning Products

PRODUCTS	APPLICATIONS and PRODUCT ACTIONS	CONTAINER TYPE		
		Cont. 25 Kg	Drum 50 L	Drum 200 L
belim F	<i>For cleaning of filters , purifiers and metal pieces</i> in contact with fuel oil , tars , asphalt derivatives , etc.	Prices depend on quantities ordered (consult)	per Liter	por Liter
ECObelim Cooler	<i>For cleaning of air coolers</i> with strongly encrusted grease and powdery residues. Use diluted in water (5-10% ECObelim , 95-90% water).	Prices depend on quantities ordered (consult)	per Kg	
belim CAL	<i>De-encrustant</i> to eliminate external calcareous encrustations in refrigeration towers with industrial water. Use diluted in water (10-20% belim CAL , 90-80% water).	Prices depend on quantities ordered (consult)	per Kg	

Notes :

- 1- Transport not included in the prices
- 2- Technical data sheets and Safety data sheets are available for each product
- 3- Cans of 1 liter are supplied in boxes of 12 units
- 4- Presentation :
 - Drums of 50 and 200 Liters : Metallics
 - Cans of 1 Liter : Metallics
 - Containers of 25 Kg : Plastic

NET PRICE LIST FOR THE SERVICE OF COMBUSTION GASES ANALYSIS

Revision May-06

Analysis of samples of gases in emission point of the same factory	Prices supplying results making historical book	Prices supplying results only in printed sheet from analyzer
1 st Sample analized	consult	consult
2 nd Sample analized	consult	consult
3 rd Sample analized	consult	consult
4 th Sample analized and consecutive	consult	consult

- Notes :**
- 1- This Price List void all previous ones
 - 2- Taxes not included in the prices
 - 3- Travel cost of technicians are not included